A CASE OF MULTIPLE FIBROID UTERUS

Dr. S. Gopinadhan*

Mrs. Y aged 49 years (Employed in govt. service) diagnosed as Multiple intramural fibroids attended O.P.D. on 13.10.2002 at Central Research Institute for Homoeopathy, Kottayam.

Presenting complaints:

Menorrhagia - 2 months duration < morning waking on, forenoon Blood - bright red Palpitation < ascending Dizziness < change of position Menses irregular- since last 2 year

History of present illness:

Complaints started as irregular menses for the last two years. Last period started 2 months back and is still continuing. After gynaecological consultation she was advised to do a USG exam and found to have multiple uterine fibroids. She was advised a total hysterectomy by the Gynaecologist.

Past history:

Cataract - operated 2 years back

Family history:

Sisters had similar complaints and both of them undergone hysterectomy

Physical generalities:

Built: well built

Thermal reaction: Moderately chilly patient,

Appetite: good, Thirst: normal,

Desires: pickles, desires warm food and

cold drinks

Aversion: milk

Sweat: profuse,

Bowel: constipated,

Urine: normal,

Menses: irregular

Mind: Easily irritable.

Examination of the patient:

Pallor +

No cyanosis,

No clubbing,

No lymphadenopathy.

Pulse - 78/min,

BP-160/98 mmHg,

CVS-NAD,

RS-NAD

Per abdomen- abdomen soft, tenderness in hypogastrium, no palpable swelling.

Investigations:

Ultra-sonography of abdomen - Bulky uterus with multiple uterine fibroids

Prescription:

Based on physical generals such as constitution and desire for milk and also on profuse bright red long lasting menses.

Rx 1. Calc carb 30/3 doses 6 hourly/1 day

2. Placebo tds for 3 weeks

Follow-up:

03.11.2002

Haemorrhage stopped 1 week back. BP - 140/88 mmHg

Rx 1. Calc carb 30/3 doses 6 hourly

(if bleeding recurs)

2. Placebo tds for 3 weeks

24.11.2002

No bleeding.

BP - 146/90 mmHG

Rx Placebo tds for 3 weeks

^{*} Research Officer (H), CRI (H), Kottayam.

15.12.2002

No bleeding. BP - 140/90 mmHg. C/o palpitation on ascending, vertigo

Rx Placebo tds for 3 weeks

26.01.2003

Bleeding started 3 days back. Took two doses of Calc carb. 30 Bleeding stopped after 5 days.

Rx 1. Calc carb 30/3 doses 6 hourly (if bleeding recurs)
2. Placebo tds for 3 weeks

09.03.2003

Had a spotting on 15.02.2003, stopped by a dose of Calc carb.30 C/o pain in inter-scapular region < stooping. BP - 140/86 mmHg

Rx 1. Bell. 200/ 3 doses 6 hourly 2. Placebo tds for 3 weeks

20.04.2003

Had menses on 21.03.2003, stopped after 6 days without any medicine

Rx Placebo tds for 3 weeks

11.05.2003

Backache inter scapular region, no bleeding. BP - 146/90mHg

Rx 1. Bell. 200/ 3 doses 6 hourly 2. Placebo tds for 3 weeks

29.06.2003

Bleeding - 4 days duration

Rx 1. Calc carb 30/3 doses 6 hourly/1 day 2. Placebo tds for 3 weeks

17.08.2003

C/o vertigo with tendency to fall to left side BP - 144/90 mHg.

Rx 1. Calc carb 30/3 doses 6 hourly (if bleeding recurs)
2. Placebo tds for 3 weeks

07.09.2003

FBS - 76 mg%, Chol - 169 mg%, TGL - 82 mg% USG - No mass tesion in pelvis, no focal myometric lesion

Rx 1. Placebo tds for 3 weeks

Result

Surgical disease "Fibroid Uterus" has been cured by Constitutional treatment.